


Sizes

The Qseals QMS03 is available in at least 25 different sizes:

D1	D3	L1	Unit
25.00	45.00	28.50	mm
28.00	48.00	28.50	mm
30.00	50.00	28.50	mm
32.00	52.00	28.50	mm
35.00	55.00	28.50	mm
38.00	58.10	28.50	mm
40.00	60.00	28.50	mm
43.00	63.00	28.50	mm
45.00	65.00	28.50	mm
48.00	68.00	28.50	mm
50.00	70.00	28.50	mm
53.00	73.00	28.50	mm
55.00	75.00	28.50	mm
58.00	78.00	28.50	mm
60.00	80.30	28.50	mm
63.00	83.50	28.50	mm
65.00	90.40	35.00	mm
68.00	93.40	35.00	mm
70.00	95.30	35.00	mm
75.00	100.40	35.00	mm
80.00	105.40	35.00	mm
85.00	110.40	35.00	mm
90.00	115.40	35.00	mm
95.00	120.70	35.00	mm
100.00	125.40	35.00	mm



Technical specifications

Temperature	-30 till 260 °C
Pressure	20 bar
Rotational velocity	... m/s
Rotate left	Yes
Rotate right	Yes
Balanced	No

Rotary faces

The Qseals QMS03 is available with at least 3 different rotary face materials:

- Carbon (CAR)
- Silicon carbide (SIC)
- Tungsten carbide (TC)

Elastomers

The Qseals QMS03 is available with at least 8 different elastomers:

- Aflas (AFL)
- EPDM (EPDM)
- FEP Viton/Silicone (FEP)
- Kalrez (KAL)
- Nitrile (NIT)
- PTFE (PTFE)
- Silicone (SIL)
- Viton (VIT)